Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 13, 1964

Author : *pages* ii - iii

Subject : *pages* iv - vii

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

ALDRICH, D. T. A. (joint author), see Fiddian, W. E. H., 139-43.

ATKINSON, KATHLEEN. *Aphelenchoides ritzemabosi* Schwartz on *Crassula coccinea* Linn., 137.

BAKER, JUNE V. The Occurrence of Primary Mildew on One-year-old Shoots of Cox's Orange Pippin, 81-5.

BARDNER, HEATHER M. and WAINES, RACHEL A. Wireworms and Slug Damage to the Potato Crop in Scotland, 1954 to 1960, 15-9.

BARRACLOUGH, RUTH M. (joint author), see French, N., 32-7.

BROWNE, K. W. (joint author), see Mayor, J. G., 113-4.

BURCHILL, R. T. Hot Water as a Possible Post-harvest Control of *Gloeosporium* Rots of Stored Apples, 106-7.

BURRELL, W. D. (joint author), see Knight, B. C., 138.

CAMMACK, R. H. The Abnormality resembling Potato Spindle Tuber in the Variety Redskin, 69-72.

CARDEN, P. W. The Control of Diamondback Moth (*Plutella maculipennis* (Curt.)), 168-9.

CRANSTON, D. M. (joint author), see Gostick, K. G., 1-6.

CROPLEY, R. (joint author), see Posnette, A. F., 20-2.

CROXALL, H. E., KNIGHT, B. C., DALE, W. T. and ROSSER, W. R. A Comparison of Protective and Curative Apple Scab Spray Programmes, 93-100.

DALE, W. T. (joint author), see Croxall, H. E., 93-100.

DAVIES, T. GLYN. Chemical Control of Potato Root Eelworm in Glasshouse Soils of North Wales, 164-8.

DAVIES, W. ELLIS. Observations on Phyllody and 'Red Leaf' in White Clover, 40-3.

DENNIS, E. B. Control of Yew Scale, 85-6.

DENNIS, E. B. and EDWARDS, C. A. Phytoxicity of Insecticides and Acaricides III. Soil Applications, 173-7.

DOLING, D. A. Glasshouse Testing of Pea Varieties for Resistance to *Fusarium* Wilt. 65-8.

DUNN, E. (joint author), see Osborne, P., 19.

DUTHOIT, CECILY M. G. Cereal Root Eelworm in the West Midlands, 25-31.

DUTHOIT, CECILY M. G. Slugs and Food Preferences, 73-8.

EDNEY, K. L. Post-harvest Rotting of Strawberries, 87-9.

EDWARDS, C. A. (joint author), see Dennis, E. B., 173-7.

FIDDIAN, W. E. H. and ALDRICH, D. T. A. The Susceptibility of Red Clover Varieties to Clover Stem Eelworm, 139-43.

FISH, L. G. (joint author), see Till, B. B., 10-4.

FLETCHER, J. T. The Control of Onion White Rot using a Pure Calomel Seed Dressing and a New Sticker, 182-4.

FRENCH, N. Chemical Control of Stem Eelworm of Oats, 131-5.

FRENCH, N. and BARRACLOUGH, RUTH M. Observations on Eelworm on Chrysanthemum Stools, 32-7.

GAIR, R. Crambid Moth Caterpillar Attacks on Cereals, 159-60.

GIBBS, A. J. and HARRISON, B. D. Nematode-transmitted Viruses in Sugar Beet in East Anglia, 144-50.

GILL, W. D. (joint author), see Osborne, P., 19.

GOLIGHTLY, W. H., GUILE, C. T. and GRAHAM, C. W. The use of Methamsodium and DD against Potato Root Eelworm in Commercial Glasshouses, 121-5.

GOSTICK, K. G. and CRANSTON, D. M. The Sorption of Methyl Bromide by Lucerne Seed, 1-6.

GOULD, H. J. and KINGHAM, H. G. The Efficiency of Commercial High Volume Spraying with Acaricides on Cucumbers under Glass, 60-4.

GOULD, H. J. and KINGHAM, H. G. Tests with Acaricides to Control *Tetranychus urticae* (Koch) on Cucumbers, 126-30.

GRAHAM, C. W. (joint author), see Golightly, W. H., 121-5.

GRIFFITHS, D. J. and PEREGRINE, W. T. H. The Inheritance of Resistance to Halo Blight of Oats, 56-9.

GUILE, C. T. Control of Potato Root Eelworm in a Lincolnshire Fen Soil, 178-81.

GUILE, C. T. (joint author), see Golightly, W. H., 121-5.

GURNEY, BARBARA (joint author), see Hussey, N. W., 38-9.

HARRISON, B. D. (joint author), see Gibbs, A. J., 144-50.

HUGHES, W. A. (joint author), see Watling, R., 46.

HUSSEY, N. W. Unusual Damage by Larvae of *Hemineurina modesta* Staeg. (Dipt., Sciaridae), 138.

HUSSEY, N. W. and GURNEY, BARBARA. Rearing Techniques for Mushroom Fly, 38-9.

JENKINS, J. E. E. Downy Mildew on Cauliflower Curds, 46.

JOHN, MARGARET E. (joint author), see Moreton B. D., 91-2.

KERSHAW, W. J. S. Aphid Infestations in Sugar Beet Seed Crops, 90-1.

KERSHAW, W. J. S. Aphid Sampling in Sugar Beet, 101-6.

KINGHAM, H. G. (joint author), see Gould, H. J., 60-4.

KINGHAM, H. G. (joint author), see Gould, H. J., 126-30.

KNIGHT, B. C. (joint author), see Croxall, H. E., 93-100.

KNIGHT, B. C. and BURRELL, W. D. Sharp Eyespot of Maize, 138.

LEWIS, SERFIAH. Pot Tests on the Effect of Sodium Methyl Dithiocarbamate on Potato Root Eelworm, 108-10.

LEWIS, SERFIAH and STONE, L. E. W. The use of Trapex for Control of Potato Root Eelworm Out-of-doors, 110-1.

MAYOR, J. G. and BROWNE, K. W. A Machine for Separating Leatherjackets from Turf Samples, 113-4.

METEOROLOGICAL OFFICE, The Weather in England and Wales, 44-5, 136-7.

MORETON, B. D. and JOHN, MARGARET E. Control of Strawberry Seed Beetle by Poison Bait, 91-2.

OSBORNE, P., GILL, W. D. and DUNN, E. Trials of Seed Dressings for the Control of Wheat Bulb Fly in Scotland, 19.

OSBORNE, P. *Tarsonemus myceliophagus* Hussey Damaging Mushrooms, 184.

OSBORNE, P. *Xiphinema diversicaudatum* (Micoletzky) Thorne in rose beds, 184.

PEREGRINE, W. T. H. (joint author), see Griffiths, D. J., 56-9.

POSNETTE, A. F. Little Cherry Disease, 170-2.

POSNETTE, A. F. and CROPLEY, R. Necrotic Rusty Mottle Virus Disease of Sweet Cherries in Britain, 20-2.

PREECE, T. F. Continuous Testing for Scab Infection Weather using Apple Rootstocks, 6-9.

ROLFE, S. W. H. Glasshouse Millepedes damaging "tom pots," 45.

ROLFE, S. W. H. Dimethoate Controlling Pigeon Damage and Diamond-back Moth, 150.

ROSSER, W. R. (joint author), see Croxall, H. E., 93-100.

SALT, G. A. The Incidence of *Oospora pustulans* on Potato Plants in Different Soils, 155-8.

SERJEANT, E. P. Cocksfoot Mottle Virus, 23-4.

SHEARER, T. M. (joint author), see Watling, R., 46.

SHERIDAN, J. E. Brown-spot of Celery in England, 161-3.

STANILAND, L. N. The Incorporation of Chemicals into Soil by Various Implements, 78-80.

STONE, L. E. W. (joint author), see Lewis, Serfiah, 110-1.

STOREY, I. F. "Damping-off" of Rose Cuttings by *Cylindrocladium scoparium* Morgan, 112-3.

STRICKLAND, A. H. Frit Fly in Spring Oats: IV. Field Trials with Eagle and Sun II, 47-51.

STRICKLAND, A. H. Frit Fly in Spring Oats: V. Grain Damage Surveys, 1957-61, 52-6.

TILL, B. B. and FISH, L. G. Comparative Trials of Copper and Dithiocarbamate Fungicides for Potato Blight Control in Somerset and Wiltshire, 1957-1961, 10-4.

WAINES, RACHEL A. (joint author), see Bardner, Heather M., 15-9.

WATLING, R., HUGHES, W. A. and SHEARER, T. M. *Rosellinia necatrix* on Paeonies in Scotland, 46.

WEBSTER, J. M. The Effect of Storage Conditions on the Infectivity of Narcissus Stem Eelworm, 151-4.

WINFIELD, A. L. The Biology and Control of the Cherry-bark Tortrix Moth, 115-20.

SUBJECT INDEX

Abacus hystrix, 24.

Agriolimax reticulatus, 73.

Agriphila straminella, 159.

Aldrin for Control of:
Glasshouse Millepedes, 45.
Strawberry Seed Beetle, 92.
Wheat Bulb Fly, 19.

Aldrin: Phytotoxicity Studies on various Hosts, 173.

Amphibolia culmellus, 159.

Aphelenchoides ritzemabosi, 32, 137.

Aphids:
Infestations in Sugar Beet Seed Crops, 90.
Sampling in Sugar Beet, 101.
Tested as Vectors of Cocksfoot Mottle Virus, 23.
Vectors of Cocksfoot Streak Virus, 24.

Aphis fabae, 102.

Apium graveolens, 161.

Apple:
Biology and Control of Cherry-bark Tortrix Moth, 115.
Hot Water for Post-harvest Control of *Gloeosporium* Rots, 106.
Primary Mildew on One-year-old Shoots, 81.
Protective and Curative Spray Programmes for Scab, 93.
Testing for Scab Infection Weather, 6.

Arion ater, 73.

Arion fasciatus, 73.

Arion hortensis, 73.

Arion subfuscus, 73.

Azinphos-methyl for Control of:
Cherry-bark Tortrix Moth, 118.
Yew Scale, 86.

Barley:
Attack by Crambid Moth, 159.
Cereal Root Eelworm in the West Midlands, 25.
Seeds as Food for Slugs, 74.

Bean: Phytotoxicity Studies with Aldrin and DDT, 174.

BHC for Control of:
Cherry-bark Tortrix Moth, 118.
Strawberry Seed Beetle, 91.
Yew Scale, 86.

Binapacryl for Control of *Tetranychus urticae*, 127.

Botrytis cinerea, 87.

Bradynema sp., 38.

Brassicae:
Control of Diamond-back Moth on Brussels Sprouts, 150.
Control of Diamond-back Moth on Cauliflower, 168.
Downy Mildew on Cauliflower Curds, 46.
Phytotoxicity of Aldrin and DDT to Cabbage, Swedes, and Hungry-Gap Kale, 173.

Cabbage: Phytotoxicity Studies with Aldrin and DDT, 174.

Captan for Control of:
Apple Scab, 93.
Post-harvest Strawberry Rots, 87.

Calomel for Control of Onion White Rot, 182.

Carbaryl for Control of Cherry-bark Tortrix Moth, 118.

Carrot:
As Food for Slugs, 76.
Phytotoxicity Studies with Aldrin and DDT, 174.

Cauliflower:
Control of Diamond-back Moth, 168.
Downy Mildew on Curds, 46.

Celery: Brown-spot in England, 161.

Cephalosporium apii, 161.

Cherry:
"Frogmore Virus Canker," 20.
Little Cherry Disease, 170.
Necrotic Rusty Mottle in Britain, 20.

Chrysanthemum: Observations on Eelworm on Stools, 32.

Clover:
Phyllody and "Red Leaf" in White Clover, 40.
Susceptibility of Red Clover Varieties to Stem Eelworm, 139.

Cocksfoot:
Mottle Virus, 23.
Streak Virus, 23.

Crambid Moth Attack on Cereals, 159.

Crambus spp., 159.

Crassula coccinea, 137.

Creosote for Control of Cherry-bark Tortrix Moth, 118.

Cucumber:
Control of *Tetranychus urticae*, 126.
Damage by *Hemineurina modesta*, 138.
Phytotoxicity Studies with Aldrin and DDT, 174.
Spraying with Acaricides under Glass, 60.
Tobacco Rattle Virus, 147.

Cuprous oxide for Control of:
Celery Brown-spot, 163.
Potato Blight, 11.

Cylindrocladium scoparium, 112.

Dactylis glomerata, 23.

Dazomet for Control of Potato Root Eelworm, 178.

D-D for Control of Potato Root Eelworm, 121, 164.

DDT for Control of:
Cherry-bark Tortrix Moth, 118.
Crambid Moth on Cereals, 160.
Diamond-back Moth on Cauliflowers, 168.

DDT: Phytotoxicity Studies on Various Hosts, 173.

Delphacodes pellucida, 23.

Demeton-methyl for Control of Yew Scale, 86.

Diamond-back Moth, 150.

Diamond-back Moth: Control on Cauliflowers, 168.

Dichloropropane — dichloropropene for Control of Sugar Beet Docking Disorder, 144.

Dicofol for Control of *Tetranychus urticae* on Cucumbers, 60, 126.

Dieldrin for Control of Wheat Bulb Fly, 19.

Dimethoate for Control of:
Diamond-back Moth, 150.
Pigeon Damage, 150.
Yew Scale, 86.

Ditylenchus dipsaci, 1, 131, 139, 151.

DNC-petroleum for the Control of Cherry-bark Tortrix Moth, 118.

Docking Disorder, 144.

Dodine Acetate for Control of Apple Scab, 94.

Eelworm:
Aphelenchoides ritzemabosi on Chrysanthemum Stocks, 32.
Bradynema sp. parasitic in Mushroom Fly, 38.
Cereal Root Eelworm in the West Midlands, 25.
Clover Stem Eelworm, 139.
Fumigation of Lucerne seed, 1.

Longidorus spp. as Vectors of Tomato Black Ring Virus, 147.
Narcissus Stem, 151.
Potato Root, 108, 110, 121, 164, 178.
Trichodorus spp. as Vectors of Tobacco Rattle Virus, 145.
Xiphinema diversicaudatum, 184.

Enarmonia formosana, 115.

Enarmonia pomonella, 116.

Endrin for Control of:
Cherry-bark Tortrix Moth, 118.
Yew Scale, 86.

Eulecanium pomeranicum, 85.

Fluoroacetamide for Control of Yew Scale, 86.

Fluorescent Tracers:
For assessing Efficiency of Acaricides on Cucumbers, 60.
For tracing Dicofol in Cucumber Leaves, 126.
To trace Sprays incorporated into Soils by Various Implements, 78.

Frit Fly in Spring Oats, 47, 52.

Fusarium oxysporum f.sp. *pisi*, 65.

gamma-BHC for Control of Wheat Bulb Fly, 19.

Gloeosporium spp., 106.

Griseofulvin for Control of Post-harvest Strawberry Rots, 87.

Harpalus rufipes, 91.

Hemineurina modesta, 138.

Heptachlor for Control of Wheat Bulb Fly, 19.

Heterodera avenae, 25.

Heterodera rostochiensis, 108, 164, 178.

Hot-water Treatment for Control of *Gloeosporium* on Stored Apples, 106.

Hyalopterus humilis, 24.

Indopol polybutene for Control of *Tetranychus urticae*, 129.

Kale:
Phytotoxicity Studies with Aldrin and DDT, 174.

Leatherjackets: Separation from Turf Samples, 113.

Leptohylemyia coarctata, 19.

Lettuce: Phytotoxicity Studies with Aldrin and DDT, 174.

Lime sulphur for Control of:
Apple Scab, 93.
Yew Scale, 86.

Lolium multiflorum, 24.

Longidorus attenuatus, 145.

Longidorus caespiticola, 145.

Longidorus elongatus, 145.

Lucerne:
Tomato Black Ring Virus, 145.
Sorption of Methyl Bromide by Seed, 1.

Lycoperdon sp. as Food for Slugs, 73.

Macrosiphum avenae, 23.

Macrosiphum euphorbiae, 104.

Macrosteles fascifrons, 171.

Maize: Sharp Eyespot, 138.

Malathion for Control of:
Cherry-bark Tortrix Moth, 118.
Diamond-back Moth on Cauliflowers, 168.
Yew Scale, 86.

Maneb for Control of:
Celery Brown-spot, 163.
Potato Blight, 11.

Megaselia halterata, 38.

Megaselia nigra, 38.

Menazon for Control of:
Diamond-back Moth, 150.
Pigeon Damage, 150.

Metham-sodium for Control of:
Onion White Rot, 182.
Potato Root Eelworm, 121, 164, 178.

Methyl bromide: Sorption by Lucerne Seed, 1.

Methyl isothiocyanate for Control of Potato Root Eelworm, 110, 178.

Mevinphos for Control of:
Diamond-back Moth on Cauliflowers, 168.
Yew Scale, 86.

Milax budapestensis, 73.

Milax gagates, 73.

Milax sowerbyi, 73.

Millepedes damaging "tom pots," 45.

Morphothion for Control of Yew Scale, 86.

Mucor piriformis, 87.

Mushrooms:
Damage by *Tarsonemus myceliophagus*, 184.
Rearing Techniques for Mushroom Fly, 38.

Mycostatin: For Control of Post-harvest Strawberry Rots, 87.

Myzus persicae, 23, 90, 101.

Narcissus: Effect of Storage Conditions on Infectivity of Stem Eelworm, 151.
New or Uncommon Plant Diseases and Pests, 45, 137.

Oats:
Cereal Root Eelworm in the West Midlands, 25.
Control of Stem Eelworm, 131.
Frit Fly Field Trials with Eagle and Sun II, 47.
Frit Fly Grain Damage Surveys, 1957-61, 52.
Inheritance of Resistance to Halo Blight, 56.
Inheritance of Varietal Resistance to Mildew, 57.
Inoculation with Cocksfoot Mottle Virus, 23.
Seeds as Food for Slugs, 74.

Onion:
Control of White Rot, 182.
Phytotoxicity Studies with Aldrin and DDT, 174.

Oospora pustulans, 155.

Organo-mercury:
Combined Insecticide-Fungicide Dressing of Wheat Seed, 19.
Control of Apple Scab, 93.

Orthodichlorbenzene: For Estimation of Leatherjacket Population in Turf, 113.

Oxidus gracilis, 45.

Paeonies: *Rosellinia necatrix* in Scotland, 46.

Parathion for Control of:
Glasshouse Millepedes, 45.
Yew Scale, 86.

Parsnip: Phytotoxicity Studies with Aldrin and DDT, 174.

Pea:
Phytotoxicity Studies with Aldrin and DDT, 174.
Testing for Resistance to *Fusarium* Wilt, 65.
Tobacco Rattle Virus, 147.

Penthaleus major, 23.

Peracetic acid for Control of Post-harvest Strawberry Rots, 87.

Peronospora parasitica, 46.

Petroleum Oil for Control of *Tetranychus urticae* on Cucumbers, 60, 126.

Phorate for Control of Yew Scale, 86.

Phorid Fly: Rearing Techniques, 38.

Phosphamidon for Control of:
Cherry-bark Tortrix Moth, 118.
Yew Scale, 86.

Phytotoxicity:
Aldrin, on various hosts, 173.
DDT, on various hosts, 173.

Pigeon Damage: Control on Brussels Sprouts, 150.

Plutella maculipennis, 168.

Podosphaera leucotricha, 81.

Polycel: Sticker for Calomel to Control Onion White Rot, 182.

Polygonum aviculare, 145.

Polygonum convolvulus, 145.

Potato:
Abnormality resembling Spindle Tuber in Redskin, 69.
Control of Potato Root Eelworm in a Lincolnshire Fen Soil, 178.
Copper and Dithiocarbamate Fungicides for Blight Control, 10.
Incidence of *Oospora pustulans* on Plants in different Soils, 155.
Phytotoxicity Studies with Aldrin and DDT, 174.
Trapex for Control of Potato Root Eelworm, 110.
Wireworm and Slug Damage in Scotland, 15.

Prunus avium, 20, 170.

Prunus spp., as hosts of Little Cherry Disease, 170.

Pseudomonas coronafaciens, 56.

Quintozene for Control of *Cylindrocladium scoparium* on Rose, 112.

Rhizoctonia sp., 138.
Rhizopus nigricans, 87.
Rhopalosiphum padi, 23.
Rose:
Damping-off of Cuttings by *Cylindrocladium scoparium*, 112.
Xiphinema diversicaudatum in Beds, 184.
Rosellinia necatrix, 46.
Ryegrass:
As Food for Slugs, 76.
Italian Ryegrass as Host of Weidelgrasmosaik-virus, 24.

Sclerotium cepivorum, 182.
Seed Disinfection:
Calomel with Stickers for Control of Onion White Rot, 182.
Insecticide with Organo-mercury for Control of Wheat Bulb Fly, 19.
Senecio vulgaris, 145.
Slugs:
Damage to the Potato Crop in Scotland, 15.
Food Preferences, 73.
Sodium methyl Dithiocarbamate for Control of Potato Root Eelworm, 108.
Steam Sterilisation for Control of *Cylindrocladium scoparium* on Rose, 112.
Strawberry:
Control of Seed Beetle by Poison Bait, 91.
Phytotoxicity Studies with Aldrin and DDT, 174.
Post-harvest Rotting, 87.
Sugar Beet:
Aphid Infestations in Seed Crops, 90.
Aphid Sampling, 101.
Docking Disorder, 144.
Nematode-transmitted Viruses, 144.
Surveys: Frit Fly Grain Damage, 1957-61, 52.
Swede: Phytotoxicity Studies with Aldrin and DDT, 174.

Tar oil for Control of Cherry-bark Tortrix Moth, 118.
Tarsonemus myceliophagus, 184.
Tetradifon for Control of *Tetranychus urticae* on Cucumber, 60, 127.
Tetranychus urticae, 60, 126.
Thionazin for Control of:
Potato Root Eelworm, 178.
Stem Eelworm of Oats, 131.
Thioquinox for Control of *Tetranychus urticae*, 127.
Thiram for Control of Post-harvest Strawberry Rots, 87.
Tomato:
Chemical Control of Potato Root Eelworm in Glasshouse Soils in North Wales, 164.
Control of Potato Root Eelworm in Glasshouses, 121.
Damage to "tom pots" by Glasshouse Millepedes, 45.
Phytotoxicity Studies with Aldrin and DDT, 174.
Pot Tests for Control of Potato Root Eelworm, 108.
Inoculations from Potato Plants with Abnormality resembling Spindle Tuber, 71.
Trifolium repens, 40, 139.
Trapex for Control of Potato Root Eelworm, 110.
Trichlorphon for Control of:
Cherry-bark Tortrix Moth, 118.
Diamond-back Moth on Cauliflowers, 168.
Trichodorus teres, 149.
Turf: Separating Leatherjackets from Samples, 113.
Veronica persica, 145.
Virus Diseases:
Abnormality resembling Potato Spindle Tuber, 69.
Clover Phyllody, 40.
Cocksfoot Mottle, 23.
Cocksfoot Streak, 23.
"Frogmore Virus Canker," 20.
Little Cherry Disease, 170.
Necrotic Rusty Mottle of Sweet Cherries, 20.
"Red Leaf" in White Clover, 40.
Ryegrass Mosaic, 24.
Stolbur Virus in White Clover, 40.
Studies on Aphid Vectors of Sugar Beet Virus Yellows, 90, 101.
Tobacco Black Ring in Lucerne, 145.
Tobacco Rattle in Sugar Beet, 144.
Tomato Black Ring in Sugar Beet, 144.
Wiedelgrasmosaik, 24.

Weather in England and Wales:
Spring and Summer, 1963, 45.
Autumn and Winter, 1963-64, 137.
Wheat:
Attacks by Crambid Moth, 159.
Cereal Root Eelworm in the West Midlands, 25.
Control of Bulb Fly, 19.
Inoculation with Cocksfoot Mottle Virus, 23.
Seeds as Food for Slugs, 73.
White-Oil for Control of Yew Scale, 86.
Wireworms: Damage to the Potato Crop in Scotland, 15.

Xiphinema diversicaudatum, 184.

Yew: Control of Scale, 85.

Zineb for Control of Potato Blight, 11.

Printed in England for Her Majesty's Stationery Office by Lightbowns Ltd.,
72 Union Street, Ryde, Isle of Wight.